

Canon imageRUNNER ADVANCE C9075/C9065/C9280/C9270 PRO

BestCard	Compatible	GSM	Gloss Level	Type	Color	ORIENTATION	NOTES
1UP, 7mil 2UP, 7mil	Yes	118	Default	Heavy 1	White	Long Edge Feed	<ul style="list-style-type: none"> * Load up to 10 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Secondary transfer voltage may require adjustment. * Test any post printing processes ie. folding, inserting. * If guillotine cutting, stack up to 30 sheets at a time. * Manual duplex may be required. Feed via bypass tray if possible.
1UP, 10mil 2UP, 10mil	Yes	148	Default	Heavy 2	White	Long Edge Feed	<ul style="list-style-type: none"> * Load up to 10 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Secondary transfer voltage may require adjustment. * Test any post printing processes ie. folding, inserting. * If guillotine cutting, stack up to 30 sheets at a time. * Manual duplex may be required. Feed via bypass tray if possible.
EconoCard	Compatible	GSM	Gloss Level	Type	Color	ORIENTATION	NOTES
1UP, 9mil 2UP, 9mil	Yes	148	Default	Heavy2	White	Long Edge Feed	<ul style="list-style-type: none"> * Load up to 10 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Secondary transfer voltage may require adjustment. * Manual duplex may be required. Feed via bypass tray if possible.
1UP, 10mil 2UP, 10mil	Yes	148	Default	Heavy 2	White	Long Edge Feed	<ul style="list-style-type: none"> * Load up to 10 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Secondary transfer voltage may require adjustment. * Manual duplex may be required. Feed via bypass tray if possible.
Magnet	Compatible	GSM	Gloss Level	Type	Color	ORIENTATION	NOTES
1UP, 5mil Polyester Magnet 1UP, 4mil Clear Poly Magnet 2UP, 7mil BestCard Poly Magnet 5mil 2UP 7mil/4mil BestCard/Clear Poly Magnet	Yes	118	Default	Heavy 1	White	Long Edge Feed	<ul style="list-style-type: none"> * Load max 30 sheets with cards on lead edge or away from operator. * Not recommended to print artwork over perfs/cuts. * Secondary transfer voltage may require adjustment. * Test any post printing processes ie. folding, inserting, cutting. * If guillotine cutting, stack up to 30 sheets at a time.
4UP, 7mil Paper Magnet 4UP, 7mil Polyester Magnet	Yes	236	Default	2-Sided Coated 3	White	Short Edge Feed	<ul style="list-style-type: none"> * Low tack adhesive is cleanly repositionable for up to 6 months. * Cards should be applied to clean, dry surfaces for best results. * Manual duplex may be required. Feed via bypass tray is possible.
Impressed Card	Compatible	GSM	Gloss Level	Type	Color	ORIENTATION	NOTES
1UP, 7mil	Yes	118	Default	Heavy 1	White	Long Edge Feed	<ul style="list-style-type: none"> * Manual duplex may be required. Feed via bypass tray if possible. * Load up to 10 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Secondary transfer voltage may require adjustment. * Test any post printing processes ie. folding, inserting, cutting. * If guillotine cutting, stack up to 30 sheets at a time. * Polyester card is only printable on one side unless custom is quoted

Canon imagePRESS C1/C1+/C1+II

BestCard	Compatible	GSM	Gloss Level	Type	Color	ORIENTATION	NOTES
1UP, 7mil 2UP, 7mil	Yes	118	Default	Heavy 1	White	Long Edge Feed	<ul style="list-style-type: none"> * Load up to 10 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Secondary transfer voltage may require adjustment. * Test any post printing processes ie. folding, inserting. * If guillotine cutting, stack up to 30 sheets at a time. * Manual duplex may be required. Feed via bypass tray
1UP, 10mil 2UP, 10mil	Yes	148	Default	Heavy 2	White	Long Edge Feed	<ul style="list-style-type: none"> * Load up to 10 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Secondary transfer voltage may require adjustment. * Test any post printing processes ie. folding, inserting. * If guillotine cutting, stack up to 30 sheets at a time. * Manual duplex may be required. Feed via bypass tray.
Magnet	Compatible	GSM	Gloss Level	Type	Color	ORIENTATION	NOTES

1UP, 5mil Polyester Magnot 1UP, 4mil Clear Poly Magnot 2UP, 7mil BestCard Poly Magnot 5mil 2UP 7mil/4mil BestCard/Clear Poly Magnot	Yes	118	Default	Heavy 1	White	Long Edge Feed	* Load max 30 sheets with cards on lead edge or away from operator. * Not recommended to print artwork over perfs/cuts. * Secondary transfer voltage may require adjustment. * Test any post printing processes ie. folding, inserting, cutting. * If guillotine cutting, stack up to 30 sheets at a time.
4UP, 7mil Paper Magnot 4UP, 7mil Polyester Magnot	Yes	236	Default	2-Sided Coated 6	White	Short Edge Feed	* Low tack adhesive is cleanly repositionable for up to 6 months. * Cards should be applied to clean, dry surfaces for best results. * Manual duplex may be required. Feed via bypass tray.
Impressed Card	Compatible	GSM	Gloss Level	Type	Color	ORIENTATION	NOTES
1UP, 7mil	Yes	118	Default	Heavy1	White	Long Edge Feed	* Manual duplex may be required. Feed via bypass tray. * Load up to 10 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Secondary transfer voltage may require adjustment. * Test any post printing processes ie. folding, inserting, cutting. * If guillotine cutting, stack up to 30 sheets at a time. * Polyester card is only printable on one side unless custom is quoted.

Canon imagePRESS C60/C700/C800

BestCard	Compatible	GSM	Gloss Level	Type	Color	ORIENTATION	NOTES
1UP, 7mil	Yes	118	Default	Heavy 1	White	Long Edge Feed	* Load up to 50 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Secondary transfer voltage may require adjustment. * Test any post printing processes ie. folding, inserting. * If guillotine cutting, stack up to 30 sheets at a time.
1UP, 10mil 2UP, 10mil	Yes	148	Default	Heavy 2	White	Long Edge Feed	* Load up to 25 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Secondary transfer voltage may require adjustment. * Test any post printing processes ie. folding, inserting. * If guillotine cutting, stack up to 30 sheets at a time.
EconoCard	Compatible	GSM	Gloss Level	Type	Color	ORIENTATION	NOTES
1UP, 9mil 2UP, 9mil	Yes	118	Default	Heavy 2	White	Long Edge Feed	* Load up to 50 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Secondary transfer voltage may require adjustment. * Test any post printing processes ie. folding, inserting
PromoCard	Compatible	GSM	Gloss Level	Type	Color	ORIENTATION	NOTES
1UP,10mil 2UP, 10mil	Yes	148	Default	Heavy 2	White	Long Edge Feed	* Load up to 50 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Secondary transfer voltage may require adjustment. * Test any post printing processes ie. folding, inserting
Magnot	Compatible	GSM	Gloss Level	Type	Color	ORIENTATION	NOTES
1UP, 5mil Polyester Magnot 1UP, 4mil Clear Poly Magnot 2UP, 7mil BestCard Poly Magnot 5mil 2UP 7mil/4mil BestCard/Clear Poly Magnot	Yes	118	Default	Heavy 1	White	Long Edge Feed	* Load max 50 sheets with cards on lead edge or away from operator. * Not recommended to print artwork over perfs/cuts. * Secondary transfer voltage may require adjustment. * Test any post printing processes ie. folding, inserting, cutting. * If guillotine cutting, stack up to 30 sheets at a time.
4UP, 7mil Paper Magnot 4UP, 5mil Polyester Magnot	Yes	236	Default	2-Sided Coated 6	White	Short Edge Feed	* Low tack adhesive is cleanly repositionable for up to 6 months. * Cards should be applied to clean, dry surfaces for best results.
Impressed Card	Compatible	GSM	Gloss Level	Type	Color	ORIENTATION	NOTES
1UP, 7mil	Yes	118	Default	Heavy 1	White	Long Edge Feed	* Load up to 50 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Secondary transfer voltage may require adjustment. * Test any post printing processes ie. folding, inserting, cutting. * If guillotine cutting, stack up to 30 sheets at a time. * Polyester card is only printable on one side unless custom is quoted.

Canon imagePRESS C7000VP/C6000VP/C6000

BestCard	Compatible	GSM	Gloss Level	Type	Color	ORIENTATION	NOTES
1UP, 7mil 2UP, 7mil 1UP, 2WIDE, 7mil	Yes	118	0	Heavy 1	White	Long Edge Feed Short Edge Feed	* Load up to 50 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Secondary transfer voltage may require adjustment. * Test any post printing processes ie. folding, inserting. * If guillotine cutting, stack up to 30 sheets at a time.
2UP, 2WIDE, 7mil	Yes	118	0	Heavy 1	White	Short Edge Feed	* Load up to 50 sheets at a time with cards operator side. * Not recommended to print artwork over perfs/cuts. * Secondary transfer voltage may require adjustment. * If guillotine cutting, stack up to 30 sheets at a time.
1UP, 10mil 2UP, 10mil	Yes	148	0	Heavy 2	White	Long Edge Feed	* Load up to 25 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Secondary transfer voltage may require adjustment.
1UP, 2WIDE, 10mil						Short Edge Feed	* Test any post printing processes ie. folding, inserting. * If guillotine cutting, stack up to 30 sheets at a time.
2UP, 2WIDE, 10mil	Yes	148	0	Heavy 2	White	Short Edge Feed	* Load up to 25 sheets at a time with cards on operator side. * Not recommended to print artwork over perfs/cuts. * Secondary transfer voltage may require adjustment. * If guillotine cutting, stack up to 30 sheets at a time.
EconoCard	Compatible	GSM	Gloss Level	Type	Color	ORIENTATION	NOTES
1UP, 9mil 2UP, 9mil	Yes	148	0	Heavy 2	White	Long Edge Feed	* Load up to 50 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Secondary transfer voltage may require adjustment. * Test any post printing processes ie. folding, inserting.
PromoCard	Compatible	GSM	Gloss Level	Type	Color	ORIENTATION	NOTES
1UP, 10mil 2UP, 10mil	Yes	148	0	Heavy 2	White	Long Edge Feed	* Load up to 50 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Secondary transfer voltage may require adjustment. * Test any post printing processes ie. folding, inserting.
Magnet	Compatible	GSM	Gloss Level	Type	Color	ORIENTATION	NOTES
1UP, 5mil Polyester Magnet 1UP, 4mil Clear Poly Magnet 2UP, 7mil BestCard Poly Magnet 5mil 2UP 7mil/4mil BestCard/Clear Poly Magnet	Yes	118	0	Heavy 1	White	Long Edge Feed	* Load max 50 sheets with cards on lead edge or away from operator. * Not recommended to print artwork over perfs/cuts. * Secondary transfer voltage may require adjustment. * Test any post printing processes ie. folding, inserting, cutting. * If guillotine cutting, stack up to 30 sheets at a time.
4UP, 7mil Paper Magnet 4UP, 5mil Polyester Magnet	Yes	236	0	2 Sided Coated 6	White	Short Edge Feed	* Low tack adhesive is cleanly repositionable for up to 6 months. * Cards should be applied to clean, dry surfaces for best results
Impressed Card	Compatible	GSM	Gloss Level	Type	Color	ORIENTATION	NOTES
1UP, 7mil	Yes	118	0	Heavy 1	White	Long Edge Feed	* Load up to 50 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Secondary transfer voltage may require adjustment.
1UP, 2WIDE, 7mil 2UP, 2WIDE, 7mil	Yes	118	0	Heavy 1	White	Short Edge Feed	* Test any post printing processes ie. folding, inserting, cutting. * If guillotine cutting, stack up to 30 sheets at a time. * Polyester card is only printable on one side unless custom is quoted.

C7010VP/C6010VP/C6010

BestCard	Compatible	GSM	Gloss Level	Type	Color	ORIENTATION	NOTES
----------	------------	-----	-------------	------	-------	-------------	-------

1UP, 7mil 2UP, 7mil	Yes	118	0	Heavy 1	White	Long Edge Feed	* Load up to 50 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Secondary transfer voltage may require adjustment. * Test any post printing processes ie. folding, inserting. * If guillotine cutting, stack up to 30 sheets at a time.
1UP, 2WIDE, 7mil						Short Edge Feed	
2UP, 2WIDE, 7mil	Yes	118	0	Heavy 1	White	Short Edge Feed	* Load up to 50 sheets at a time with cards operator side. * Not recommended to print artwork over perfs/cuts. * Secondary transfer voltage may require adjustment. * If guillotine cutting, stack up to 30 sheets at a time.
1UP, 10mil 2UP, 10mil	Yes	148	0	Heavy 2	White	Long Edge Feed	* Load up to 25 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Secondary transfer voltage may require adjustment. * Test any post printing processes ie. folding, inserting. * If guillotine cutting, stack up to 30 sheets at a time.
1UP, 2WIDE, 10mil						Short Edge Feed	
2UP, 2WIDE, 10mil	Yes	148	0	Heavy 2	White	Short Edge Feed	* Load up to 25 sheets at a time with cards on operator side. * Not recommended to print artwork over perfs/cuts. * Secondary transfer voltage may require adjustment. * If guillotine cutting, stack up to 30 sheets at a time
EconoCard	Compatible	GSM	Gloss Level	Type	Color	ORIENTATION	NOTES
1UP, 9mil 2UP, 9mil	Yes	148	0	Heavy 2	White	Long Edge Feed	* Load up to 50 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Secondary transfer voltage may require adjustment. * Test any post printing processes ie. folding, inserting
PromoCard	Compatible	GSM	Gloss Level	Type	Color	ORIENTATION	NOTES
1UP, 10mil 2UP, 10mil	Yes	148	0	Heavy 2	White	Long Edge Feed	* Load up to 50 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Secondary transfer voltage may require adjustment. * Test any post printing processes ie. folding, inserting.
Magnet	Compatible	GSM	Gloss Level	Type	Color	ORIENTATION	NOTES
1UP, 5mil Polyester Magnet 1UP, 4mil Clear Poly Magnet 2UP, 7mil BestCard Poly Magnet 5mil 2UP 7mil/4mil BestCard/Clear Poly Magnet	Yes	118	0	Heavy 1	White	Long Edge Feed	* Load max 50 sheets with cards on lead edge or away from operator. * Not recommended to print artwork over perfs/cuts. * Secondary transfer voltage may require adjustment. * Test any post printing processes ie. folding, inserting, cutting. * If guillotine cutting, stack up to 30 sheets at a time.
4UP, 7mil Paper Magnet 4UP, 5mil Polyester Magnet	Yes	236	0	2 Sided Coated 6	White	Short Edge Feed	* Low tack adhesive is cleanly repositionable for up to 6 months. * Cards should be applied to clean, dry surfaces for best results.
Impressed Card	Compatible	GSM	Gloss Level	Type	Color	ORIENTATION	NOTES
1UP, 7mil	Yes	118	0	Heavy 1	White	Long Edge Feed	* Load up to 50 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Secondary transfer voltage may require adjustment. * Test any post printing processes ie. folding, inserting, cutting. * If guillotine cutting, stack up to 30 sheets at a time. * Polyester card is only printable on one side unless custom is quoted.
1UP, 2WIDE, 7mil 2UP, 2WIDE, 7mil						Short Edge Feed	

**Canon imagePRESS
C7011VP/C6011VP/C6011**

BestCard	Compatible	GSM	Gloss Level	Type	Color	ORIENTATION	NOTES
1UP, 7mil 2UP, 7mil	Yes	118	0	Heavy 1	White	Long Edge Feed	* Load up to 50 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Secondary transfer voltage may require adjustment. * Test any post printing processes ie. folding, inserting. * If guillotine cutting, stack up to 30 sheets at a time.
1UP, 2WIDE, 7mil						Short Edge Feed	

2UP, 2WIDE, 7mil	Yes	118	0	Heavy 1	White	Short Edge Feed	<ul style="list-style-type: none"> * Load up to 50 sheets at a time with cards operator side. * Not recommended to print artwork over perfs/cuts. * Secondary transfer voltage may require adjustment. * If guillotine cutting, stack up to 30 sheets at a time.
1UP, 10mil 2UP, 10mil	Yes	148	0	Heavy 2	White	Long Edge Feed	<ul style="list-style-type: none"> * Load up to 25 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Secondary transfer voltage may require adjustment.
1UP, 2WIDE, 10mil						Short Edge Feed	<ul style="list-style-type: none"> * Test any post printing processes ie. folding, inserting. * If guillotine cutting, stack up to 30 sheets at a time.
2UP, 2WIDE, 10mil	Yes	148	0	Heavy 2	White	Short Edge Feed	<ul style="list-style-type: none"> * Load up to 25 sheets at a time with cards on operator side. * Not recommended to print artwork over perfs/cuts. * Secondary transfer voltage may require adjustment. * If guillotine cutting, stack up to 30 sheets at a time.
EconoCard	Compatible	GSM	Gloss Level	Type	Color	ORIENTATION	NOTES
1UP, 9mil 2UP, 9mil	Yes	148	0	Heavy 2	White	Long Edge Feed	<ul style="list-style-type: none"> * Load up to 50 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Secondary transfer voltage may require adjustment. * Test any post printing processes ie. folding, inserting.
PromoCard	Compatible	GSM	Gloss Level	Type	Color	ORIENTATION	NOTES
1UP, 10mil 2UP, 10mil	Yes	148	0	Heavy 2	White	Long Edge Feed	<ul style="list-style-type: none"> * Load up to 50 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Secondary transfer voltage may require adjustment. * Test any post printing processes ie. folding, inserting.
Magnot	Compatible	GSM	Gloss Level	Type	Color	ORIENTATION	NOTES
1UP, 5mil Polyester Magnot 1UP, 4mil Clear Poly Magnot 2UP, 7mil BestCard Poly Magnot 5mil 2UP 7mil/4mil BestCard/Clear Poly Magnot	Yes	118	0	Heavy 1	White	Long Edge Feed	<ul style="list-style-type: none"> * Load max 50 sheets with cards on lead edge or away from operator. * Not recommended to print artwork over perfs/cuts. * Secondary transfer voltage may require adjustment. * Test any post printing processes ie. folding, inserting, cutting. * If guillotine cutting, stack up to 30 sheets at a time.
4UP, 7mil Paper Magnot 4UP, 5mil Polyester Magnot	Yes	236	0	2 Sided Coated 6	White	Short Edge Feed	<ul style="list-style-type: none"> * Low tack adhesive is cleanly repositionable for up to 6 months. * Cards should be applied to clean, dry surfaces for best results.
Impressed Card	Compatible	GSM	Gloss Level	Type	Color	ORIENTATION	NOTES
1UP, 7mil	Yes	118	0	Heavy 1	White	Long Edge Feed	<ul style="list-style-type: none"> * Load up to 50 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Secondary transfer voltage may require adjustment.
1UP, 2WIDE, 7mil 2UP, 2WIDE, 7mil						Short Edge Feed	<ul style="list-style-type: none"> * Test any post printing processes ie. folding, inserting, cutting. * If guillotine cutting, stack up to 30 sheets at a time. * Polyester card is only printable on one side unless custom is quoted.