

## Ricoh PRO C5100s/C5110s

BestCard	Compatible	GSM	MODE/TYPE	WEIGHT	ORIENTATION	NOTES
1UP, 7mil 2UP, 7mil	Yes	118	Plain Paper	4 (101-127.4 gsm)	Long Edge Feed	* Load up to 50 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Test any post printing processes ie. folding, inserting.* If guillotine cutting, stack up to 30 sheets at a time. * Manual duplex may be required.
1UP, 2WIDE, 7mil	Yes	118	Plain Paper	4 (101-127.4 gsm)	Short Edge Feed	* Load up to 50 sheets at a time with cards operator side. * Not recommended to print artwork over perfs/cuts. * Test any post printing processes ie. folding, inserting. * Manual duplex may be required.
2UP, 2WIDE, 7mil	Yes	118	Plain Paper	4 (101-127.4 gsm)	Short Edge Feed	* Load up to 50 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Test any post printing processes ie. folding, inserting. * Manual duplex may be required.
EconoCard	Compatible	GSM	MODE/TYPE	WEIGHT	ORIENTATION	NOTES
1UP, 9mil 2UP, 9mil	Yes	148	Plain Paper	6 (150-216 gsm)	Long Edge Feed	* Load up to 50 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Test any post printing processes ie. folding, inserting. * Manual duplex may be required.
1UP, 10mil 2UP, 10mil	Yes	148	Plain Paper	6 (150-216 gsm)	Long Edge Feed	* Load up to 50 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Test any post printing processes ie. folding, inserting. * Manual duplex may be required.
Magnet	Compatible	GSM	MODE/TYPE	WEIGHT	ORIENTATION	NOTES
1UP, 5mil Polyester Magnet 1UP, 4mil Clear Poly Magnet 2UP, 7mil BestCard Poly Magnet 5mil 2UP 7mil/4mil BestCard/Clear Poly Magnet	Yes	118	Plain Paper	4 (101-127.4 gsm)	Long Edge Feed	* Load max 50 sheets with cards on lead edge or operator side. * Not recommended to print artwork over perfs/cuts. * Test any post printing processes ie. folding, inserting, cutting. * If guillotine cutting, stack up to 30 sheets at a time. * Low tack adhesive is cleanly repositionable for up to 6 months. * Cards should be applied to clean, dry surfaces for best results. * Manual duplex may be required.
4UP, 7mil Paper Magnet 4UP, 7mil Polyester Magnet	Yes	236	Coated: Gloss	7 (2161-256 gsm)	Short Edge Feed	
Impressed Card	Compatible	GSM	MODE/TYPE	WEIGHT	ORIENTATION	NOTES
1UP, 7mil 2UP, 7mil	Yes	118	Plain Paper	4 (101-127.4 gsm)	Long Edge Feed	* Load up to 50 sheets at a time with cards on operator side. * Not recommended to print artwork over perfs/cuts. * Test any post printing processes ie. folding, inserting, cutting. * If guillotine cutting, stack up to 30 sheets at a time.
1UP, 2WIDE, 7mil 2UP, 2WIDE, 7mil					Short Edge Feed	* Polyester card is only printable on one side unless custom is quoted. * Manual duplex may be required.

## Ricoh PRO C651EX/751/751EX

BestCard	Compatible	GSM	MODE/TYPE	WEIGHT	ORIENTATION	NOTES
1UP, 7mil 2UP, 7mil	Yes	118	Plain Paper	4 (1051-163 gsm)	Long Edge Feed	* Load up to 50 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Test any post printing processes ie. folding, inserting. * If guillotine cutting, stack up to 30 sheets at a time. * Manual duplex may be required.
1UP, 2WIDE, 7mil						
2UP, 2WIDE, 7mil	Yes	118	Plain Paper	4 (1051-163 gsm)	Short Edge Feed	* Load up to 50 sheets at a time with cards operator side. * Not recommended to print artwork over perfs/cuts. * Test any post printing processes ie. folding, inserting. * Manual duplex may be required.
EconoCard	Compatible	GSM	MODE/TYPE	WEIGHT	ORIENTATION	NOTES
1UP, 9mil 2UP, 9mil	Yes	148	Plain Paper	4 (105.1-163 gsm)	Long Edge Feed	* Load up to 50 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Test any post printing processes ie. folding, inserting.

PromoCard	Compatible	GSM	MODE/TYPE	WEIGHT	ORIENTATION	NOTES
1UP, 10mil 2UP, 10mil	Yes	148	Plain Paper	4 (105.1-163 gsm)	Long Edge Feed	* Load up to 50 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Test any post printing processes ie. folding, inserting.
Magnet	Compatible	GSM	MODE/TYPE	WEIGHT	ORIENTATION	NOTES
1UP, 5mil Polyester Magnet 1UP, 4mil Clear Poly Magnet 2UP, 7mil BestCard Poly Magnet 5mil 2UP 7mil/4mil BestCard/Clear Poly Magnet	Yes	118	Plain Paper	4 (105.1-163 gsm)	Long Edge Feed	* Load max 50 sheets with cards on lead edge or operator side. * Not recommended to print artwork over perfs/cuts. * Test any post printing processes ie. folding, inserting, cutting. * If guillotine cutting, stack up to 30 sheets at a time. * Low tack adhesive is cleanly repositionable for up to 6 months. * Cards should be applied to clean, dry surfaces for best results. * Manual duplex may be required
4UP, 7mil Paper Magnet 4UP, 7mil Polyester Magnet	Yes	236	Coated: Gloss	6 (220.1-256 gsm)	Short Edge Feed	
Impressed Card	Compatible	GSM	MODE/TYPE	WEIGHT	ORIENTATION	NOTES
1UP, 7mil	Yes	118	Plain Paper	4 (105.1-163 gsm)	Long Edge Feed	* Load up to 50 sheets at a time with cards on operator side. * Not recommended to print artwork over perfs/cuts. * Test any post printing processes ie. folding, inserting, cutting. * If guillotine cutting, stack up to 30 sheets at a time.
1UP, 2WIDE, 7mil 2UP, 2WIDE, 7mil					Short Edge Feed	* Polyester card is only printable on one side unless custom is quoted. * Manual duplex may be required.

## Ricoh PRO C900/C900s

BestCard	Compatible	GSM	MODE/TYPE	WEIGHT	ORIENTATION	NOTES
1UP, 7mil 2UP, 7mil	Yes	118	Plain Paper	4 (105.1-163 gsm)	Long Edge Feed	* Load up to 100 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Test any post printing processes ie. folding, inserting. * If guillotine cutting, stack up to 30 sheets at a time.
1UP, 2WIDE, 7mil					Short Edge Feed	* Manual duplex may be required
2UP, 2WIDE, 7mil	Yes	118	Plain Paper	4 (105.1-163 gsm)	Short Edge Feed	* Load up to 50 sheets at a time with cards on operator side. * Not recommended to print artwork over perfs/cuts. * Test any post printing processes ie. folding, inserting. * Manual duplex may be required.
1UP, 10mil 2UP, 10mil 1UP, 2WIDE, 10mil	Yes	256	Plain Paper	7 (256.1-300 gsm)	Short Edge Feed	* Load up to 100 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Test any post printing processes ie. folding, inserting. * If guillotine cutting, stack up to 30 sheets at a time. * Manual duplex may be required.
2UP, 2WIDE, 10mil	Yes	256	Plain Paper	7 (256.1-300 gsm)	Short Edge Feed	* Load up to 50 sheets at a time with cards on operator side. * Not recommended to print artwork over perfs/cuts. * Manual duplex may be required. * If guillotine cutting, stack up to 30 sheets at a time.
EconoCard	Compatible	GSM	MODE/TYPE	WEIGHT	ORIENTATION	NOTES
1UP, 9mil 2UP, 9mil	Yes	148	Plain Paper	4 (105.1-163 gsm)	Long Edge Feed	* Load up to 50 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Test any post printing processes ie. folding, inserting.
PromoCard	Compatible	GSM	MODE/TYPE	WEIGHT	ORIENTATION	NOTES
1UP, 10mil 2UP, 10mil	Yes	148	Plain Paper	4 (105.1-163 gsm)	Long Edge Feed	* Load up to 50 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Test any post printing processes ie. folding, inserting. * Manual duplex may be required.
Magnet	Compatible	GSM	MODE/TYPE	WEIGHT	ORIENTATION	NOTES
1UP, 5mil Polyester Magnet 1UP, 4mil Clear Poly Magnet 2UP, 7mil BestCard Poly Magnet 5mil 2UP 7mil/4mil BestCard/Clear Poly Magnet	Yes	118	Plain Paper	4 (105.1-163 gsm)	Long Edge Feed	* Load max 50 sheets with cards on lead edge or operator side. * Not recommended to print artwork over perfs/cuts. * Test any post printing processes ie. folding, inserting, cutting. * If guillotine cutting, stack up to 30 sheets at a time. * Low tack adhesive is cleanly repositionable for up to 6 months.

4UP, 7mil Paper Magnot 4UP, 7mil Polyester Magnot	Yes	236	Coated: Gloss	6 (220.1-256 gsm)	Short Edge Feed	* Cards should be applied to clean, dry surfaces for best results. * Manual duplex may be required.
<b>Impressed Card</b>	<b>Compatible</b>	<b>GSM</b>	<b>MODE/TYPE</b>	<b>WEIGHT</b>	<b>ORIENTATION</b>	<b>NOTES</b>
1UP, 7mil	Yes	118	Plain Paper	4 (105.1-163 gsm)	Long Edge Feed	* Load up to 50 sheets at a time with cards on operator side. * Not recommended to print artwork over perfs/cuts. * Test any post printing processes ie. folding, inserting, cutting. * If guillotine cutting, stack up to 30 sheets at a time.
1UP, 2WIDE, 7mil 2UP, 2WIDE, 7mil					Short Edge Feed	* Polyester card is only printable on one side unless custom is quoted. * Manual duplex may be required.

## Ricoh PRO C901/C901S Graphic Arts Edition

<b>BestCard</b>	<b>Compatible</b>	<b>GSM</b>	<b>MODE/TYPE</b>	<b>WEIGHT</b>	<b>ORIENTATION</b>	<b>NOTES</b>
1UP, 7mil 2UP, 7mil	Yes	118	Plain Paper	4 (105.1-163 gsm)	Long Edge Feed	* Load up to 100 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Test any post printing processes ie. folding, inserting. * If guillotine cutting, stack up to 30 sheets at a time.
1UP, 2WIDE, 7mil					Short Edge Feed	* Manual duplex may be required
2UP, 2WIDE, 7mil	Yes	118	Plain Paper	4 (105.1-163 gsm)	Short Edge Feed	* Load up to 100 sheets at a time with cards operator side. * Not recommended to print artwork over perfs/cuts. * Test any post printing processes ie. folding, inserting. * Manual duplex may be required.
1UP, 10mil 2UP, 10mil 1UP, 2WIDE, 10mil	Yes	256	Plain Paper	7 (256.1-300 gsm)	Short Edge Feed	* Load up to 50 sheets at a time with cards on lead edge. * Not recommended to print artwork over perfs/cuts. * Test any post printing processes ie. folding, inserting. * If guillotine cutting, stack up to 30 sheets at a time. * Manual duplex may be required.
2UP, 2WIDE, 10mil	Yes	256	Plain Paper	7 (256.1-300 gsm)	Short Edge Feed	* Load up to 50 sheets at a time with cards on operator side. * Not recommended to print artwork over perfs/cuts. * Manual duplex may be required. * If guillotine cutting, stack up to 30 sheets at a time
<b>EconoCard</b>	<b>Compatible</b>	<b>GSM</b>	<b>MODE/TYPE</b>	<b>WEIGHT</b>	<b>ORIENTATION</b>	<b>NOTES</b>
1UP, 9mil 2UP, 9mil	Yes	148	Plain Paper	4 (2561-300 gsm)	Long Edge Feed	* Load up to 50 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Test any post printing processes ie. folding, inserting.
<b>PromoCard</b>	<b>Compatible</b>	<b>GSM</b>	<b>MODE/TYPE</b>	<b>WEIGHT</b>	<b>ORIENTATION</b>	<b>NOTES</b>
1UP, 10mil 2UP, 10mil	Yes	148	Plain Paper	4 (1051-163 gsm)	Long Edge Feed	* Load up to 50 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Test any post printing processes ie. folding, inserting. * Manual duplex may be required.
<b>Magnot</b>	<b>Compatible</b>	<b>GSM</b>	<b>MODE/TYPE</b>	<b>WEIGHT</b>	<b>ORIENTATION</b>	<b>NOTES</b>
1UP, 5mil Polyester Magnot 1UP, 4mil Clear Poly Magnot 2UP, 7mil BestCard Poly Magnot 5mil 2UP 7mil/4mil BestCard/Clear Poly Magnot	Yes	118	Plain Paper	4 (1051-163 gsm)	Long Edge Feed	* Load max 50-100 sheets with cards on lead edge or operator side. * Not recommended to print artwork over perfs/cuts. * Test any post printing processes ie. folding, inserting, cutting. * If guillotine cutting, stack up to 30 sheets at a time. * Low tack adhesive is cleanly repositionable for up to 6 months.
4UP, 7mil Paper Magnot 4UP, 7mil Polyester Magnot	Yes	236	Coated: Gloss	6 (2201-256 GSM)	Short Edge Feed	* Cards should be applied to clean, dry surfaces for best results. * Manual duplex may be required.
<b>Impressed Card</b>	<b>Compatible</b>	<b>GSM</b>	<b>MODE/TYPE</b>	<b>WEIGHT</b>	<b>ORIENTATION</b>	<b>NOTES</b>
1UP, 7mil	Yes	118	Plain Paper	6 (1051-163 GSM)	Long Edge Feed	* Load up to 50 sheets at a time with cards on operator side. * Not recommended to print artwork over perfs/cuts.

1UP, 2WIDE, 7mil 2UP, 2WIDE, 7mil	Yes	118	Plain Paper	4 (1051-163 GSM)	Short Edge Feed	<ul style="list-style-type: none"> <li>* Test any post printing processes ie. folding, inserting, cutting.</li> <li>* If guillotine cutting, stack up to 30 sheets at a time.</li> <li>* Polyester card is only printable on one side unless custom is quoted.</li> <li>* Manual duplex may be required.</li> </ul>
--------------------------------------	-----	-----	-------------	---------------------	-----------------	---

### Ricoh PRO C901/C901S Graphic Arts +

BestCard	Compatible	GSM	MODE/TYPE	WEIGHT	ORIENTATION	NOTES
1UP, 7MIL 2UP, 7MIL	Yes	118	Plain Paper	4 (1051-163 GSM)	Long Edge Feed	<ul style="list-style-type: none"> <li>* Load up to 100 sheets at a time with cards away from operator.</li> <li>* Not recommended to print artwork over perfs/cuts.</li> </ul>
1UP, 2WIDE, 7mil					Short Edge Feed	<ul style="list-style-type: none"> <li>* Test any post printing processes ie. folding, inserting.</li> <li>* If guillotine cutting, stack up to 30 sheets at a time.</li> <li>* Manual duplex may be required.</li> </ul>
2UP, 2WIDE, 7mil	Yes	118	Plain Paper	4 (1051-163 gsm)	Short Edge Feed	<ul style="list-style-type: none"> <li>* Load up to 100 sheets at a time with cards operator side.</li> <li>* Not recommended to print artwork over perfs/cuts.</li> <li>* Test any post printing processes ie. folding, inserting.</li> <li>* Manual duplex may be required.</li> </ul>
1UP, 10mil 2UP, 10mil 1UP, 2WIDE, 10mil	Yes	256	Plain Paper	7 (2561-350 gsm)	Short Edge Feed	<ul style="list-style-type: none"> <li>* Load up to 50 sheets at a time with cards on lead edge.</li> <li>* Not recommended to print artwork over perfs/cuts.</li> <li>* Test any post printing processes ie. folding, inserting.</li> <li>* If guillotine cutting, stack up to 30 sheets at a time.</li> <li>* Manual duplex may be required</li> </ul>
2UP, 2WIDE, 10mil					Short Edge Feed	<ul style="list-style-type: none"> <li>* Load up to 50 sheets at a time with cards on operator side.</li> <li>* Not recommended to print artwork over perfs/cuts.</li> <li>* Manual duplex may be required.</li> <li>* If guillotine cutting, stack up to 30 sheets at a time</li> </ul>
EconoCard	Compatible	GSM	MODE/TYPE	WEIGHT	ORIENTATION	NOTES
1UP, 9mil 2UP, 9mil	Yes	148	Plain Paper	4 (1051-163 gsm)	Long Edge Feed	<ul style="list-style-type: none"> <li>* Load up to 50 sheets at a time with cards away from operator.</li> <li>* Not recommended to print artwork over perfs/cuts.</li> <li>* Test any post printing processes ie. folding, inserting.</li> </ul>
PromoCard	Compatible	GSM	MODE/TYPE	WEIGHT	ORIENTATION	NOTES
1UP, 10mil 2UP, 10mil	Yes	148	Plain Paper	4 (1051-163 gsm)	Long Edge Feed	<ul style="list-style-type: none"> <li>* Load up to 50 sheets at a time with cards away from operator.</li> <li>* Not recommended to print artwork over perfs/cuts.</li> <li>* Test any post printing processes ie. folding, inserting.</li> <li>* Manual duplex may be required.</li> </ul>
Magnet	Compatible	GSM	MODE/TYPE	WEIGHT	ORIENTATION	NOTES
1UP, 5mil Polyester Magnet 1UP, 4mil Clear Poly Magnet 2UP, 7mil BestCard Poly Magnet 5mil 2UP 7mil/4mil BestCard/Clear Poly Magnet	Yes	118	Plain Paper	4 (1051-163 GSM)	Long Edge Feed	<ul style="list-style-type: none"> <li>* Load max 50-100 sheets with cards on lead edge or operator side.</li> <li>* Not recommended to print artwork over perfs/cuts.</li> <li>* Test any post printing processes ie. folding, inserting, cutting.</li> <li>* If guillotine cutting, stack up to 30 sheets at a time.</li> <li>* Low tack adhesive is cleanly repositionable for up to 6 months.</li> <li>* Cards should be applied to clean, dry surfaces for best results.</li> <li>* Manual duplex may be required.</li> </ul>
4UP, 7mil Paper Magnet 4UP, 7mil Polyester Magnet	Yes	236	Coated: Gloss	6 (2201-256 GSM)	Short Edge Feed	<ul style="list-style-type: none"> <li>* Manual duplex may be required.</li> </ul>
Impressed Card	Compatible	GSM	MODE/TYPE	WEIGHT	ORIENTATION	NOTES
1UP, 7mil	Yes	118	Plain Paper	4 (1051-163 gsm)	Long Edge Feed	<ul style="list-style-type: none"> <li>* Load up to 50 sheets at a time with cards on operator side.</li> <li>* Not recommended to print artwork over perfs/cuts.</li> </ul>
1UP, 2 WIDE, 7mil 2UP, 2WIDE, 7mil					Short Edge Feed	<ul style="list-style-type: none"> <li>* Test any post printing processes ie. folding, inserting, cutting.</li> <li>* If guillotine cutting, stack up to 30 sheets at a time.</li> <li>* Polyester card is only printable on one side unless custom is quoted.</li> <li>* Manual duplex may be required.</li> </ul>

### Ricoh PRO C7100X/C7110X/C7100SX/C7110SX

<b>BestCard</b>	<b>Compatible</b>	<b>GSM</b>	<b>MODE/TYPE</b>	<b>WEIGHT</b>	<b>ORIENTATION</b>	<b>NOTES</b>
1UP, 7mil 2UP, 7mil	Yes	118	Plain Paper	4 (1051-163 gsm)	Long Edge Feed	<ul style="list-style-type: none"> <li>* Load up to 100 sheets at a time with cards away from operator.</li> <li>* Not recommended to print artwork over perms/cuts.</li> <li>* Test any post printing processes ie. folding, inserting.</li> <li>* If guillotine cutting, stack up to 30 sheets at a time.</li> <li>* Manual duplex may be required</li> </ul>
1UP, 2WIDE, 7mil					Short Edge Feed	
2UP, 2WIDE, 7mil	Yes	118	Plain Paper	4 (1051-163 GSM)	Short Edge Feed	<ul style="list-style-type: none"> <li>* Load up to 100 sheets at a time with cards operator side.</li> <li>* Not recommended to print artwork over perms/cuts.</li> <li>* Test any post printing processes ie. folding, inserting.</li> <li>* Manual duplex may be required.</li> </ul>
1UP, 10mil 2UP, 10mil 1UP, 2WIDE, 10mil	Yes	256	Plain Paper	7 (2561-300 GSM)	Short Edge Feed	<ul style="list-style-type: none"> <li>* Load up to 50 sheets at a time with cards on lead edge.</li> <li>* Not recommended to print artwork over perms/cuts.</li> <li>* Test any post printing processes ie. folding, inserting.</li> <li>* If guillotine cutting, stack up to 30 sheets at a time.</li> <li>* Manual duplex may be required.</li> </ul>
<b>EconoCard</b>	<b>Compatible</b>	<b>GSM</b>	<b>MODE/TYPE</b>	<b>WEIGHT</b>	<b>ORIENTATION</b>	<b>NOTES</b>
1UP, 9mil 2UP, 9mil	Yes	148	Plain Paper	4 (1051-163 gsm)	Long Edge Feed	<ul style="list-style-type: none"> <li>* Load up to 50 sheets at a time with cards away from operator.</li> <li>* Not recommended to print artwork over perms/cuts.</li> <li>* Test any post printing processes ie. folding, inserting.</li> </ul>
<b>PromoCard</b>	<b>Compatible</b>	<b>GSM</b>	<b>MODE/TYPE</b>	<b>WEIGHT</b>	<b>ORIENTATION</b>	<b>NOTES</b>
1UP, 10mil 2UP, 10mil	Yes	148	Plain Paper	4 (1051-163 gsm)	Long Edge Feed	<ul style="list-style-type: none"> <li>* Load up to 50 sheets at a time with cards away from operator.</li> <li>* Not recommended to print artwork over perms/cuts.</li> <li>* Test any post printing processes ie. folding, inserting.</li> <li>* Manual duplex may be required.</li> </ul>
<b>Magnet</b>	<b>Compatible</b>	<b>GSM</b>	<b>MODE/TYPE</b>	<b>WEIGHT</b>	<b>ORIENTATION</b>	<b>NOTES</b>
1UP, 5mil Polyester Magnet 1UP, 4mil Clear Poly Magnet 2UP, 7mil BestCard Poly Magnet 5mil 2UP 7mil/4mil BestCard/Clear Poly Magnet	Yes	118	Plain Paper	4 (1051-163 gsm)	Long Edge Feed	<ul style="list-style-type: none"> <li>* Load max 50-100 sheets with cards on lead edge or operator side.</li> <li>* Not recommended to print artwork over perms/cuts.</li> <li>* Test any post printing processes ie. folding, inserting, cutting.</li> <li>* If guillotine cutting, stack up to 30 sheets at a time.</li> <li>* Low tack adhesive is cleanly repositionable for up to 6 months.</li> </ul>
4UP, 7mil Paper Magnet 4UP, 7mil Polyester Magnet	Yes	236	Coated: Gloss	6 (220.1-256 gsm)	Short Edge Feed	<ul style="list-style-type: none"> <li>* Cards should be applied to clean, dry surfaces for best results.</li> <li>* Manual duplex may be required.</li> </ul>