

## Xerox Docucolor 242/252/260

BestCard	Compatible	GSM	MODE/TYPE	IMAGE QUALITY	COLOR	ORIENTATION	NOTES
7mil 1UP 7mil 2UP	Yes	118	Heavyweight 1	HW1B	White	Long Edge Feed	* Load up to 250 sheets at a time with cards away from operator * Not recommended to print artwork over perfs/cuts. * Recommended to feed from bypass
7mil 1UP 2WIDE	Yes	118	Heavyweight 1	HW1B	White	Short Edge Feed	* Test any post printing processes ie. folding, inserting. * If guillotine cutting, stack up to 30 sheets at a time.
7mil 2UP 2WIDE	YES	118	Heavyweight 1	HW1B	WHITE	Short Edge Feed	* Load up to 250 sheets at a time with cards operator side. * Not recommended to print artwork over perfs/cuts. * Recommended to feed from bypass. * Test any post printing processes ie. folding, inserting.
Econocard	Compatible	GSM	MODE/TYPE	IMAGE QUALITY	COLOR	ORIENTATION	NOTES
EconoCard 1UP 9mil EconoCard 2UP 9mil	YES	216	Heavyweight 2	HW2B	White	Long Edge Feed	* Load up to 200-250 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Recommended to feed from bypass. * Test any post printing processes ie. folding, inserting.
PromoCard	Compatible	GSM	MODE/TYPE	IMAGE QUALITY	COLOR	ORIENTATION	NOTES
1UP 10mil 2UP 10mil	Yes	216	Heavyweight 2	HW2B	White	Long Edge Feed	* Load up to 200-250 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts * Recommended to feed from bypass. * Test any post printing processes ie. folding, inserting.
Magnet	Compatible	GSM	MODE/TYPE	IMAGE QUALITY	COLOR	ORIENTATION	NOTES
Polyester Magnet 1UP 5mil Clear Poly Magnet 1UP 4mil	Yes	216	Heavyweight2	HW2B	White	Long Edge Feed	* Load max 300 sheets with cards on lead edge or away from operator. * Not recommended to print artwork over perfs/cuts. * Recommended to feed from bypass.
BestCard/Poly Magnet- 2UP, 7mil,5mil BestCard/Clear Poly Magnet 2UP, 7mil, 4mil	Yes	216	Heavyweight 2	HW2B	White	Long Edge Feed	* Test any post printing processes ie. folding, inserting, cutting. * If guillotine cutting, stack up to 30 sheets at a time.
Paper Magnet 4UP, 7mil Polyester Magnet 4UP, 5mil	Yes	300	Coated3	Default	White	Short Edge Feed	* Low tack adhesive is cleanly repositionable for up to 6 months. * Cards should be applied to clean, dry surfaces for best results.
Impressed Card	Compatible	GSM	MODE/TYPE	IMAGE QUALITY	COLOR	ORIENTATION	NOTES
1UP, 7mil	Yes	216	Heavyweight 2	HW2B	White	Long Edge Feed	* Load up to 175 sheets at a time with cards on operator side * Not recommended to print artwork over perfs/cuts. * Recommended to feed from bypass.
1UP, 2WIDE, 7mil	Yes	216	Heavyweight 2	HW2B	White	Short Edge Feed	* Test any post printing processes ie. folding, inserting, cutting. * If guillotine cutting, stack up to 30 sheets at a time.
2UP, 2WIDE, 7mil							* Polyester card is only printable on one side unless custom is quoted.

## Xerox Color 550/560/570

Bestcard	Compatible	GSM	MODE/TYPE	IMAGE QUALITY	COLOR	ORIENTATION	NOTES
1UP, 7mil	Yes	118	Heavyweight 1	HW1B	White	Long Edge Feed	* Load up to 250 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Recommended to feed from bypass.
2UP, 7mil							* Test any post printing processes ie. folding, inserting.
1UP, 2WIDE, 7mil	Yes	118	Heavyweight 1	HW1B	White	Short Edge Feed	* If guillotine cutting, stack up to 30 sheets at a time.
2UP, 2WIDE, 7mil	Yes	118	Heavyweight 1	HW1B	White	Short Edge Feed	* Load up to 250 sheets at a time with cards operator side * Not recommended to print artwork over perfs/cuts. * Recommended to feed from bypass. * Test any post printing processes ie. folding, inserting.
EconoCard	Compatible	GSM	MODE/TYPE	IMAGE QUALITY	COLOR	ORIENTATION	NOTES
1UP, 9mil 2UP, 9mil	Yes	216	Heavyweight 2	HW2B	White	Long Edge Feed	* Load up to 200-250 sheets at a time with cards away from operator * Not recommended to print artwork over perfs/cuts. * Recommended to feed from bypass * Test any post printing processes ie. folding, inserting
PromoCard	Compatible	GSM	MODE/TYPE	IMAGE QUALITY	COLOR	ORIENTATION	NOTES
1UP, 10mil 2UP, 10mil	Yes	216	Heavyweight 2	HW2B	White	Long Edge Feed	* Load up to 200-250 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Recommended to feed from bypass. * Test any post printing processes ie. folding, inserting.

<b>Polyester Magnot</b>	<b>Compatible</b>	<b>GSM</b>	<b>MODE/TYPE</b>	<b>IMAGE QUALITY</b>	<b>COLOR</b>	<b>ORIENTATION</b>	<b>NOTES</b>
1UP, 5MIL Clear Poly Magnot 1UP, 4mil BestCard/Poly Magnot 2UP, 7mil/5mil BestCard/Clear Poly Magnot 2UP,7mil/4mil	Yes	216	Heavyweight 2	HW2B	White	Long Edge Feed	* Load max 300 sheets with cards on lead edge or away from operator * Not recommended to print artwork over perfs/cuts * Recommended to feed from bypass. * If guillotine cutting, stack up to 30 sheets at a time. * Low tack adhesive is cleanly repositionable for up to 6 months. * Cards should be applied to clean, dry surfaces for best results. * Test any post printing processes ie. folding, inserting, cutting.
Paper Magnot 4UP, 7mil Polyester Magnot 4UP, 5mil	Yes	300	Coated3	Default	White	Short Edge Feed	* Load up to 175 sheets at a time with cards on operator side. * Not recommended to print artwork over perfs/cuts. * Recommended to feed from bypass. * Test any post printing processes ie. folding, inserting, cutting. * If guillotine cutting, stack up to 30 sheets at a time. * Polyester card is only printable on one side unless custom is quoted
<b>Impressed Card</b>	<b>Compatible</b>	<b>GSM</b>	<b>MODE/TYPE</b>	<b>IMAGE QUALITY</b>	<b>COLOR</b>	<b>ORIENTATION</b>	<b>NOTES</b>
1UP, 7mil	Yes	216	Heavyweight 2	HW2B	White	Long Edge Feed	* Load up to 175 sheets at a time with cards on operator side. * Not recommended to print artwork over perfs/cuts. * Recommended to feed from bypass. * Test any post printing processes ie. folding, inserting, cutting. * If guillotine cutting, stack up to 30 sheets at a time. * Polyester card is only printable on one side unless custom is quoted
1UP, 2WIDE, 7mil 2UP, 2WIDE, 7mil	Yes	216	Heavyweight 2	HW2B	White	Short Edge Feed	

## Xerox Color C60/C70

<b>BestCard</b>	<b>Compatible</b>	<b>GSM</b>	<b>MODE/TYPE</b>	<b>IMAGE QUALITY</b>	<b>COLOR</b>	<b>ORIENTATION</b>	<b>NOTES</b>
1UP, 7mil 2UP, 7MIL	Yes	118	Heavyweight 1	HW1B	White	Long Edge Feed	* Load up to 250 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Recommended to feed from bypass. * Test any post printing processes ie. folding, inserting. * If guillotine cutting, stack up to 30 sheets at a time.
1UP, 2WIDE, 7mil	Yes	118	Heavyweight 1	HW1B	White	Short Edge Feed	
2UP, 2WIDE, 7mil	Yes	118	Heavyweight1	HW1B	White	Short Edge Feed	* Load up to 250 sheets at a time with cards operator side. * Not recommended to print artwork over perfs/cuts. * Recommended to feed from bypass. * Test any post printing processes ie. folding, inserting.
1UP, 9mil 2UP, 9mil	Yes	216	Heavyweight 2	HW2B	White	Long Edge Feed	* Load up to 200-250 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Recommended to feed from bypass. * Test any post printing processes ie. folding, inserting.
<b>PromoCard</b>	<b>Compatible</b>	<b>GSM</b>	<b>MODE/TYPE</b>	<b>IMAGE QUALITY</b>	<b>COLOR</b>	<b>ORIENTATION</b>	<b>NOTES</b>
1UP, 10mil 2UP, 10mil	Yes	216	Heavyweight 2	HW2B	White	Long Edge Feed	* Load up to 200-250 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Recommended to feed from bypass. * Test any post printing processes ie. folding, inserting.
<b>Magnot</b>	<b>Compatible</b>	<b>GSM</b>	<b>MODE/TYPE</b>	<b>IMAGE QUALITY</b>	<b>COLOR</b>	<b>ORIENTATION</b>	<b>NOTES</b>
Polyester Magnot 1UP 5mil Clear Poly Magnot 1UP 4mil	Yes	216	Heavyweight 2	HW2B	White	Long Edge Feed	* Load max 300 sheets with cards on lead edge or away from operator. * Not recommended to print artwork over perfs/cuts. * Recommended to feed from bypass. * Test any post printing processes ie. folding, inserting, cutting. * If guillotine cutting, stack up to 30 sheets at a time. * Low tack adhesive is cleanly repositionable for up to 6 months. * Cards should be applied to clean, dry surfaces for best results.
BestCard/Poly Magnot- 2UP, 7mil,5mil BestCard/Clear Poly Magnot 2UP, 7mil, 4mil	Yes	216	Heavyweight 2	HW2B	White	Long Edge Feed	
Paper Magnot 4UP, 7mil Polyester Magnot 4UP, 5mil	Yes	300	Coated3	Default	White	Short Edge Feed	
<b>Impressed Card</b>	<b>Compatible</b>	<b>GSM</b>	<b>MODE/TYPE</b>	<b>IMAGE QUALITY</b>	<b>COLOR</b>	<b>ORIENTATION</b>	<b>NOTES</b>
1UP, 7mil	Yes	216	Heavyweight 2	HW2B	White	Long Edge Feed	* Load up to 175 sheets at a time with cards on operator side. * Not recommended to print artwork over perfs/cuts. * Recommended to feed from bypass. * Test any post printing processes ie. folding, inserting, cutting. * If guillotine cutting, stack up to 30 sheets at a time. * Polyester card is only printable on one side unless custom is quoted.
1UP, 2WIDE 2UP, 2WIDE, 7mil	Yes	216	Heavyweight 2	HW2B	White	Short Edge Feed	

## Xerox C700/C700i/C770/C75/J75

<b>BestCard</b>	<b>Compatible</b>	<b>GSM</b>	<b>MODE/TYPE</b>	<b>IMAGE QUALITY</b>	<b>COLOR</b>	<b>ORIENTATION</b>	<b>NOTES</b>
1UP,7mil 2UP,7mil	Yes	118	106-135 gsm	Uncoated	White	Long Edge Feed	* Load up to 250 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Recommended to feed from bypass.

1UP, 2WIDE, 7mil 2UP, 2WIDE, 7mil	Yes	118	106-135 gsm	Uncoated	White	Short Edge Feed	* Test any post printing processes ie. folding, inserting. * If guillotine cutting, stack up to 30 sheets at a time. * Transfer & decurler adjustment may be required
1UP, 10mil 2UP, 10mil 1UP, 2WIDE 10mil	Yes	216	177-220 gsm	Uncoated	White	Long Edge Feed	* Load up to 100 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Transfer adjustment may be required * Test any post printing processes ie. folding, inserting. * If guillotine cutting, stack up to 30 sheets at a time. * Recommended to feed from bypass.
2UP, 2WIDE, 10mil	Yes	216	177-220 gsm	Uncoated	White	Short Edge Feed	* Load up to 100 sheets at a time with cards on operator side. * Not recommended to print artwork over perfs/cuts. * Feed from bypass tray. * Transfer may require adjustment. * If guillotine cutting, stack up to 30 sheets at a time.
<b>Econocard</b>	<b>Compatible</b>	<b>GSM</b>	<b>MODE/TYPE</b>	<b>IMAGE QUALITY</b>	<b>COLOR</b>	<b>ORIENTATION</b>	<b>NOTES</b>
1UP, 9mil 2UP, 9mil	Yes	216	177-220 gsm	Uncoated	White	Long Edge Feed	* Load up to 100 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Feed from bypass tray. * Transfer may require adjustment. * Test any post printing processes ie. folding, inserting.
1UP, 10mil 2UP, 10mil	Yes	216	177-220 gsm	Uncoated	White	Long Edge Feed	* Load up to 100 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Feed from bypass tray. * Transfer may require adjustment. * Test any post printing processes ie. folding, inserting.
1UP, 5MIL Clear Poly Magnot 1UP, 4mil BestCard/Poly Magnot 2UP, 7mil/5mil BestCard/Clear Poly Magnot 2UP, 7mil/4mil	Yes	216	177-220 gsm	Uncoated	White	Long Edge Feed	* Load max 200 sheets with cards on lead edge or away from operator. * If guillotine cutting, stack up to 30 sheets at a time. * Low tack adhesive is cleanly repositionable for up to 6 months * Cards should be applied to clean, dry surfaces for best results. * Not recommended to print artwork over perfs/cuts. * Recommended to feed from bypass.
4UP, 7MIL 4UP, 5MIL	Yes	300	257-300 gsm	Coated	White	Short Edge Feed	* Test any post printing processes ie. folding, inserting, cutting
<b>Impressed Card</b>	<b>Compatible</b>	<b>GSM</b>	<b>MODE/TYPE</b>	<b>IMAGE QUALITY</b>	<b>COLOR</b>	<b>ORIENTATION</b>	<b>NOTES</b>
1UP 7MIL	Yes	216	177-220 gsm	Uncoated	White	Long Edge Feed	* Load up to 175 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Recommended to feed from bypass.
1UP, 2WIDE 7mil 2UP, 2WIDE 7mil	Yes	216	177-220 gsm	Uncoated	White	Short Edge Feed	* Test any post printing processes ie. folding, inserting, cutting. * If guillotine cutting, stack up to 30 sheets at a time. * Polyester card is only printable on one side unless custom is quoted. * Transfer may require adjustment.

### Xerox Docucolor 6060/7000AP/7002/8000/8002/8080

BestCard	Compatible	GSM	MODE/TYPE	IMAGE QUALITY	COLOR	ORIENTATION	NOTES
1UP, 7mil	Yes	118	A	Uncoated	White	Long Edge Feed	* Load up to 50 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Test any post printing processes ie. folding, inserting. * If guillotine cutting, stack up to 30 sheets at a time.
<b>Polyester Magnot</b>	<b>Compatible</b>	<b>GSM</b>	<b>MODE/TYPE</b>	<b>IMAGE QUALITY</b>	<b>COLOR</b>	<b>ORIENTATION</b>	<b>NOTES</b>
1UP, 5MIL Clear Poly Magnot 1UP, 4mil BestCard/Poly Magnot 2UP, 7mil/5mil BestCard/Clear Poly Magnot 2UP, 7mil/4mil	Yes	216	A	Coated	White	Long Edge Feed	* Load max 50 sheets with cards on lead edge or away from operator. * Not recommended to print artwork over perfs/cuts. * Simplex printing only. Manual duplex if necessary. * Test any post printing processes ie. folding, inserting, cutting. * If guillotine cutting, stack up to 30 sheets at a time.
4UP, 7MIL 4UP, 5MIL	Yes	300	A	Coated	White	Short Edge Feed	* Low tack adhesive is cleanly repositionable for up to 6 months. * Cards should be applied to clean, dry surfaces for best results.
<b>Impressed Card</b>	<b>Compatible</b>	<b>GSM</b>	<b>MODE/TYPE</b>	<b>IMAGE QUALITY</b>	<b>COLOR</b>	<b>ORIENTATION</b>	<b>NOTES</b>
1UP, 7mil	Yes	216	A	Coated	White	Long Edge Feed	* Load up to 50 sheets at a time with cards on operator side. * Not recommended to print artwork over perfs/cuts. * Simplex printing only. Manual duplex if necessary. * Test any post printing processes ie. folding, inserting, cutting * If guillotine cutting, stack up to 30 sheets at a time. * Polyester card is only printable on one side unless custom is quoted

## Xerox Versant 80 Press

BestCard	Compatible	GSM	MODE/TYPE	IMAGE QUALITY	COLOR	ORIENTATION	NOTES
1UP, 7mil 2UP, 7mil	Yes	118	Plain	Coated	White	Long Edge Feed	* Load up to 250 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Recommended to feed from tray 5, 6, or 7. * Test any post printing processes ie. folding, inserting.
1UP, 2WIDE 7mil	Yes	118	Plain	Coated	White	Short Edge Feed	* If guillotine cutting, stack up to 30 sheets at a time. * Transfer may require adjustment.
2UP, 2WIDE, 7mil	Yes	118	Plain	Coated	White	Short Edge Feed	* Load up to 250 sheets at a time with cards operator side. * Not recommended to print artwork over perfs/cuts. * Recommended to feed from tray 5, 6, or 7. * Test any post printing processes ie. folding, inserting.
1UP, 10mil 2UP, 10mil 1UP, 2WIDE, 10mil	Yes	216	Plain	Coated	White	Short Edge Feed	* Load up to 250 sheets at a time with cards on lead edge. * Not recommended to print artwork over perfs/cuts. * Recommended to feed from tray 5, 6, or 7. * Test any post printing processes ie. folding, inserting. * If guillotine cutting, stack up to 30 sheets at a time. * Transfer may require adjustment.
2UP,2WIDE, 10mil	Yes	216	Plain	Coated	White	Short Edge Feed	* Load up to 250 sheets at a time with cards on operator side. * Not recommended to print artwork over perfs/cuts. * Recommended to feed from tray 5, 6, or 7. * If guillotine cutting, stack up to 30 sheets at a time.
1UP, 13mil 2UP, 13mil	Yes	300	Plain	Coated	White	Short Edge Feed	* Load up to 175 sheets at a time with cards on lead edge. * Not recommended to print artwork over perfs/cuts. * Recommended to feed from tray 5, 6, or 7. * If guillotine cutting, stack up to 30 sheets at a time.
Econocard	Compatible	GSM	MODE/TYPE	IMAGE QUALITY	COLOR	ORIENTATION	NOTES
1UP, 9mil 2UP, 9mil	Yes	216	Plain	Coated	White	Long Edge Feed	* Load up to 200-250 sheets at a time with cards on operator side. * Not recommended to print artwork over perfs/cuts. * Recommended to feed from tray 5, 6, or 7. * Test any post printing processes ie. folding, inserting.
PromoCard	Compatible	GSM	MODE/TYPE	IMAGE QUALITY	COLOR	ORIENTATION	NOTES
1UP, 10mil 2UP, 10mil	Yes	216	Plain	Coated	White	Long Edge Feed	* Load up to 200-250 sheets at a time with cards on operator side. * Not recommended to print artwork over perfs/cuts. * Recommended to feed from tray 5, 6, or 7. * Test any post printing processes ie. folding, inserting.
Polyester Magnot	Compatible	GSM	MODE/TYPE	IMAGE QUALITY	COLOR	ORIENTATION	NOTES
1UP, 5MIL Clear Poly Magnot 1UP, 4mil	Yes	350	Plain	Coated	White	Long Edge Feed	* Manual duplex may be required. * Load max 250 sheets with cards on lead edge or operator side. * Not recommended to print artwork over perfs/cuts.
BestCard/Poly Magnot 2UP, 7mil/5mil	Yes	350	Plain	Coated	White	Short Edge Feed	* Recommended to feed from tray 5, 6, or 7. * Test any post printing processes ie. folding, inserting, cutting. * Transfer may require adjustment.
BestCard/Clear Poly Magnot 2UP,7mil/4mil 4UP, 7mil 4UP, 5MIL	Yes	350	Plain	Coated	White	Short Edge Feed	* If guillotine cutting, stack up to 30 sheets at a time. * Low tack adhesive is cleanly repositionable for up to 6 months. * Cards should be applied to clean, dry surfaces for best results.
Impressed Card	Compatible	GSM	MODE/TYPE	IMAGE QUALITY	COLOR	ORIENTATION	NOTES
1UP, 7mil	Yes	216	Plain	Coated	White	Long Edge Feed	* Load up to 175 sheets at a time with cards on operator side. * Not recommended to print artwork over perfs/cuts. * Recommended to feed from tray 5, 6, or 7.
1UP, 2WIDE, 7mil 2up, 2wide, 7mil	Yes	216	Plain	Coated	White	Short Edge Feed	* Test any post printing processes ie. folding, inserting, cutting. * Transfer may require adjustment. * If guillotine cutting, stack up to 30 sheets at a time. * Polyester card is only printable on one side unless custom is quoted

## Xerox Versant 2100 Press

BestCard	Compatible	GSM	MODE/TYPE	IMAGE QUALITY	COLOR	ORIENTATION	NOTES
----------	------------	-----	-----------	---------------	-------	-------------	-------

1UP, 7mil 2UP, 7mil	Yes	118	Plain	Coated	White	Long Edge Feed	* Load up to 250 sheets at a time with cards away from operator * Not recommended to print artwork over perfs/cuts * Recommended to feed from tray 6, 7, or bypass
1UP, 2WIDE, 7mil						Short Edge Feed	* Test any post printing processes ie. folding, inserting * If guillotine cutting, stack up to 30 sheets at a time * Transfer may require adjustment
2UP, 2WIDE 7mil	Yes	118	Plain	Coated	White	Short Edge Feed	* Load up to 250 sheets at a time with cards operator side. * Not recommended to print artwork over perfs/cuts. * Feed from tray 6, 7, or bypass * Transfer may require adjustment * Test any post printing processes ie. folding, inserting.
1UP, 10mil 2UP, 10mil 1UP, 2WIDE, 10mil	Yes	216	Plain	Coated	White	Short Edge Feed	* Load up to 250 sheets at a time with cards on lead edge. * Not recommended to print artwork over perfs/cuts. * Recommended to feed from tray 6, 7, or bypass. * Test any post printing processes ie. folding, inserting * If guillotine cutting, stack up to 30 sheets at a time. * Transfer may require adjustment.
2UP, 2WIDE, 10mil	Yes	216	Plain	Coated	White	Short Edge Feed	* Load up to 250 sheets at a time with cards on operator side. * Not recommended to print artwork over perfs/cuts. * Feed from tray 6, 7, or bypass. * Transfer may require adjustment. * If guillotine cutting, stack up to 30 sheets at a time.
1UP, 13mil 2UP, 13mil	Yes	250	Plain	Coated	White	Short Edge Feed	* Load up to 175 sheets at a time with cards on lead edge. * Not recommended to print artwork over perfs/cuts. * Feed from tray 6, 7, or bypass. * Transfer may require adjustment. * If guillotine cutting, stack up to 30 sheets at a time.
<b>Econocard</b>	<b>Compatible</b>	<b>GSM</b>	<b>MODE/TYPE</b>	<b>IMAGE QUALITY</b>	<b>COLOR</b>	<b>ORIENTATION</b>	<b>NOTES</b>
1UP, 9mil 2UP, 9mil	Yes	216	Plain	Coated	White	Short Edge Feed	* Load up to 200-250 sheets at a time with cards on lead edge. * Not recommended to print artwork over perfs/cuts. * Feed from tray 6, 7, or bypass. * Transfer may require adjustment. * Test any post printing processes ie. folding, inserting.
<b>PromoCard</b>	<b>Compatible</b>	<b>GSM</b>	<b>MODE/TYPE</b>	<b>IMAGE QUALITY</b>	<b>COLOR</b>	<b>ORIENTATION</b>	<b>NOTES</b>
1UP, 10mil 2UP, 10mil	Yes	216	Plain	Coated	White	Short Edge Feed	* Load up to 200-250 sheets at a time with cards on lead edge. * Not recommended to print artwork over perfs/cuts. * Feed from tray 6, 7, or bypass. * Transfer may require adjustment. * Test any post printing processes ie. folding, inserting.
<b>Magnet</b>	<b>Compatible</b>	<b>GSM</b>	<b>MODE/TYPE</b>	<b>IMAGE QUALITY</b>	<b>COLOR</b>	<b>ORIENTATION</b>	<b>NOTES</b>
Polyester Magnet 1UP, 5mil	Yes	216	Plain	Coated	White	Long Edge Feed	* Load max 300 sheets with cards on lead edge or operator side. * Not recommended to print artwork over perfs/cuts. * Feed from tray 6, 7, or bypass.
Clear Poly 1UP, 4mil Decal						Short Edge Feed	* Test any post printing processes ie. folding, inserting, cutting. * Transfer may require adjustment. * If guillotine cutting, stack up to 30 sheets at a time.
BestCard Poly Magnet 2UP, 7mil/5mil adhesive	Yes	216	Plain	Coated	White	Short Edge Feed	* Low tack adhesive is cleanly repositionable for up to 6 months. * Cards should be applied to clean, dry surfaces for best results.
BestCard Poly Magnet 2UP, 7mil/4mil Decal						Short Edge Feed	
Paper Magnet/Adhesive 4UP,7mil Postcards 4UP Polyester Adhesive, 5mil Postcards	Yes	350	Plain	Coated	WHITE	Short Edge Feed	
<b>Impressed Card</b>	<b>Compatible</b>	<b>GSM</b>	<b>MODE/TYPE</b>	<b>IMAGE QUALITY</b>	<b>COLOR</b>	<b>ORIENTATION</b>	<b>NOTES</b>
1UP, Poly Peel Card 7mil	Yes	216	Plain	Coated	White	Long Edge Feed	* Load up to 175 sheets at a time with cards on operator side. * Not recommended to print artwork over perfs/cuts. * Feed from tray 6, 7, or bypass.
1UP, 2WIDE Poly Peel Card 7mil 2UP,2WIDE Poly Peel Card 7mil	Yes	216	Plain	Coated	White	Short Edge Feed	* Test any post printing processes ie. folding, inserting, cutting. * Transfer may require adjustment. * If guillotine cutting, stack up to 30 sheets at a time. * Polyester card is only printable on one side unless custom is quoted.

BestCard	Compatible	GSM	MODE/TYPE	IMAGE QUALITY	COLOR	ORIENTATION	NOTES
1UP, 7mil 2UP, 7mil	Yes	118	Plain	Gloss	White	Long Edge Feed	* Load up to 300 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Face up delivery is required.
1UP, 2WIDE, 7mil	Yes	118	Plain	Gloss	White	Short Edge Feed	* Test any post printing processes ie. folding, inserting. * If guillotine cutting, stack up to 30 sheets at a time.
2UP, 2WIDE, 7mil	Yes	118	Plain	Gloss	White	Short Edge Feed	* Load up to 300 sheets at a time with cards operator side. * Not recommended to print artwork over perfs/cuts. * Face up delivery is required. * Test any post printing processes ie. folding, inserting.
1UP, 10mil 2UP, 10mil	Yes	216	Plain	Gloss	White	Short Edge Feed	* Load up to 250 sheets at a time with cards on lead edge. * Not recommended to print artwork over perfs/cuts. * Face up delivery is required. * Test any post printing processes ie. folding, inserting. * If guillotine cutting, stack up to 30 sheets at a time. * Bias Transfer may require adjustment.
1UP, 2WIDE, 10mil							
2UP, 2WIDE, 10mil	Yes	216	Plain	Gloss	White	Short Edge Feed	* Load up to 250 sheets at a time with cards on operator side. * Not recommended to print artwork over perfs/cuts. * Face up delivery is required. * Bias Transfer may require adjustment. * If guillotine cutting, stack up to 30 sheets at a time.
1UP, 13mil 2UP, 13mil	Yes	250	Plain	Gloss	White	Short Edge Feed	* Load up to 175 sheets at a time with cards on lead edge. * Not recommended to print artwork over perfs/cuts. * Face up delivery is required. * Bias Transfer may require adjustment. * If guillotine cutting, stack up to 30 sheets at a time.
1UP, 9mil 2UP, 9mil	Yes	216	Plain	Gloss	White	Short Edge Feed	* Load up to 200-250 sheets at a time with cards on lead edge. * Not recommended to print artwork over perfs/cuts. * Face up delivery is required. * Bias Transfer may require adjustment. * Test any post printing processes ie. folding, inserting.
PromoCard	Compatible	GSM	MODE/TYPE	IMAGE QUALITY	COLOR	ORIENTATION	NOTES
1UP, 10mil 2UP, 10mil	Yes	216	Plain	Gloss	White	Short Edge Feed	* Load up to 200-250 sheets at a time with cards on lead edge. * Not recommended to print artwork over perfs/cuts. * Face up delivery is required. * Bias Transfer may require adjustment. * Test any post printing processes ie. folding, inserting.
Polyester Magnot	Compatible	GSM	MODE/TYPE	IMAGE QUALITY	COLOR	ORIENTATION	NOTES
1UP, 5mil card 1UP, 4mil Clear Poly Magnot	Yes	216	Plain	Gloss	White	Long Edge Feed	* Load max 300 sheets with cards on lead edge or operator side. * Not recommended to print artwork over perfs/cuts.
2UP, 7mil BestCard Poly Magnot 5mil 2UP 7mil/4mil BestCard/Clear Poly Magnot						Short Edge Feed	* Feed from tray 6, 7, or bypass. * Test any post printing processes ie. folding, inserting, cutting. * Bias Transfer may require adjustment.
4UP, 7mil Paper Magnot 4UP, 5mil Polyester Magnot	Yes	350	Plain	Gloss	White	Short Edge Feed	* If guillotine cutting, stack up to 30 sheets at a time. * Low tack adhesive is cleanly repositionable for up to 6 months. * Cards should be applied to clean, dry surfaces for best results.
Impressed Card	Compatible	GSM	MODE/TYPE	IMAGE QUALITY	COLOR	ORIENTATION	NOTES
1UP, 7mil Impressed card	Yes	216	Plain	Gloss	White	Long Edge Feed	* Load up to 175 sheets at a time with cards on operator side. * Not recommended to print artwork over perfs/cuts. * Feed from tray 6, 7, or bypass. * Test any post printing processes ie. folding, inserting, cutting. * Transfer may require adjustment.
1UP, 2WIDE, 7mil 2UP, 2WIDE, 7mil						Short Edge Feed	* If guillotine cutting, stack up to 30 sheets at a time. * Polyester card is only printable on one side unless custom is quoted.

### Xerox iGen 3/4/4 Diamond Edition/150

BestCard	Compatible	GSM	MODE/TYPE	IMAGE QUALITY	COLOR	ORIENTATION	NOTES
1UP, 7mil 2UP, 7mil	Yes	200	Plain	Gloss	White	Long Edge Feed	* Load up to 100 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts.

1UP, 2WIDE 7mil	Yes	200	Plain	Gloss	White	Short Edge Feed	* Engine TAB may need to be cleaned prior to running media. * Test any post printing processes ie. folding, inserting. * If guillotine cutting, stack up to 30 sheets at a time.
2UP, 2WIDE, 7mil	Yes	200	Plain	Gloss	White	Short Edge Feed	* Load up to 100 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Engine TAB may need to be cleaned prior to running media. * Test any post printing processes ie. folding, inserting.
1UP, 10mil 2UP, 10mil	Yes	295	Plain	Gloss	White	Long Edge Feed	* Load up to 100 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Engine TAB may need to be cleaned prior to running media. * Test any post printing processes ie. folding, inserting. * If guillotine cutting, stack up to 30 sheets at a time.
1UP, 2WIDE, 10mil						Short Edge Feed	
2UP, 2WIDE, 10mil	yes	295	Plain	Gloss	White	Short Edge Feed	* Load up to 100 sheets at a time with cards on operator side. * Not recommended to print artwork over perfs/cuts. * Engine TAB may need to be cleaned prior to running media. * If guillotine cutting, stack up to 30 sheets at a time.
1UP, 13mil 2UP, 13mil	Yes	350	Plain	Gloss	White	Short Edge Feed	* Load up to 50 sheets at a time in lower tray with cards on lead edge. * Not recommended to print artwork over perfs/cuts. * Engine TAB may need to be cleaned prior to running media. * Transfer A&B Side 1 & 2 = 150

### Xerox iGen 3/4/4 Diamond Edition/150

BestCard	Compatible	GSM	MODE/TYPE	IMAGE QUALITY	COLOR	ORIENTATION	NOTES
1UP, 9mil 2UP, 9mil	Yes	295	Plain	Gloss	White	Short Edge Feed	* Load up to 100 sheets at a time with cards on lead edge. * Not recommended to print artwork over perfs/cuts. * Engine TAB may need to be cleaned prior to running media. * Test any post printing processes ie. folding, inserting.
PromoCard	Compatible	GSM	MODE/TYPE	IMAGE QUALITY	COLOR	ORIENTATION	NOTES
1UP, 10mil 2UP, 10mil	Yes	295	Plain	Gloss	White	Short Edge Feed	* Load up to 100 sheets at a time with cards on lead edge. * Not recommended to print artwork over perfs/cuts. * Engine TAB may need to be cleaned prior to running media. * Test any post printing processes ie. folding, inserting.
Magnet	Compatible	GSM	MODE/TYPE	IMAGE QUALITY	COLOR	ORIENTATION	NOTES
1UP, 5mil Polyester Magnet 1UP, 4 mil Clear Poly Magnet	Yes	216	Plain	Matte	White	Long Edge Feed	* Load max 200 sheets with cards on lead edge or away from operator. * Engine TAB may need to be cleaned prior to running media. * Test any post printing processes ie. folding, inserting, cutting.
2UP, 7mil BestCard Poly Magnet 5mil 2UP 7mil/4mil BestCard/Clear Poly Magnet	Yes	216	Plain	Matte	White	Short Edge Feed	* Not recommended to print artwork over perfs/cuts. * If guillotine cutting, stack up to 30 sheets at a time.
4UP, 7mil Paper Magnet 4UP, 5mil Polyester Magnet	Yes	350	Plain	Gloss	White	Short Edge Feed	* Polyester card is only printable on one side unless custom is quoted.
Impressed Card	Compatible	GSM	MODE/TYPE	IMAGE QUALITY	COLOR	ORIENTATION	NOTES
1UP, 7mil	Yes	216	Plain	Matte	White	Long Edge Feed	* Load up to 100 sheets at a time with cards on operator side. * Not recommended to print artwork over perfs/cuts.
1UP, 2WIDE, 7mil 2UP, 2WIDE, 7mil	Yes	216	Plain	Matte	White	Short Edge Feed	* Engine TAB may need to be cleaned prior to running media. * Test any post printing processes ie. folding, inserting, cutting.

### Xerox iGen 5

BestCard	Compatible	GSM	MODE/TYPE	IMAGE QUALITY	COLOR	ORIENTATION	NOTES
1UP, 7mil 2UP, 7mil	Yes	200	Plain	Gloss	White	Long Edge Feed	* Load up to 100 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Engine TAB may need to be cleaned prior to running media.
1UP, 2WIDE, 7mil	Yes	200	Plain	Gloss	White	Short Edge Feed	* Test any post printing processes ie. folding, inserting. * If guillotine cutting, stack up to 30 sheets at a time.
2UP, 2WIDE, 7mil	Yes	200	Plain	Gloss	White	Short Edge Feed	* Load up to 100 sheets at a time with cards away from operator. * Not recommended to print artwork over perfs/cuts. * Engine TAB may need to be cleaned prior to running media. * Test any post printing processes ie. folding, inserting.

1UP, 10mil 2UP, 10mil	Yes	295	Plain	Gloss	White	Long Edge Feed	<ul style="list-style-type: none"> <li>* Load up to 100 sheets at a time with cards away from operator.</li> <li>* Not recommended to print artwork over perfs/cuts.</li> <li>* Engine TAB may need to be cleaned prior to running media.</li> <li>* Test any post printing processes ie. folding, inserting.</li> <li>* If guillotine cutting, stack up to 30 sheets at a time.</li> </ul>
1UP, 2WIDE, 10mil						Short Edge Feed	
1UP, 13mil 2UP, 13mil	Yes	350	Plain	Gloss	White	Short Edge Feed	<ul style="list-style-type: none"> <li>* Load up to 50 sheets at a time in lower tray with cards on lead edge.</li> <li>* Not recommended to print artwork over perfs/cuts.</li> <li>* Engine TAB may need to be cleaned prior to running media.</li> <li>* Transfer A&amp;B Side 1 &amp; 2 = 150</li> </ul>
<b>EconoCard</b>	<b>Compatible</b>	<b>GSM</b>	<b>MODE/TYPE</b>	<b>IMAGE QUALITY</b>	<b>COLOR</b>	<b>ORIENTATION</b>	<b>NOTES</b>
1UP, 9mil 2UP, 9mil	Yes	295	Plain	Gloss	White	Short Edge Feed	<ul style="list-style-type: none"> <li>* Load up to 100 sheets at a time with cards on lead edge.</li> <li>* Not recommended to print artwork over perfs/cuts.</li> <li>* Engine TAB may need to be cleaned prior to running media.</li> <li>* Test any post printing processes ie. folding, inserting.</li> </ul>
<b>PromoCard</b>	<b>Compatible</b>	<b>GSM</b>	<b>MODE/TYPE</b>	<b>IMAGE QUALITY</b>	<b>COLOR</b>	<b>ORIENTATION</b>	<b>NOTES</b>
1UP, 10mil 2UP, 10mil	Yes	295	Plain	Gloss	White	Short Edge Feed	<ul style="list-style-type: none"> <li>* Load up to 100 sheets at a time with cards on lead edge.</li> <li>* Not recommended to print artwork over perfs/cuts.</li> <li>* Engine TAB may need to be cleaned prior to running media.</li> <li>* Test any post printing processes ie. folding, inserting.</li> </ul>
<b>Magnet</b>	<b>Compatible</b>	<b>GSM</b>	<b>MODE/TYPE</b>	<b>IMAGE QUALITY</b>	<b>COLOR</b>	<b>ORIENTATION</b>	<b>NOTES</b>
1UP, 5mil Polyester Magnet 1UP, 4 mil Clear Poly Magnet	Yes	216	Plain	Matte	White	Long Edge Feed	<ul style="list-style-type: none"> <li>* Load max 200 sheets with cards on lead edge or away from operator.</li> <li>* Not recommended to print artwork over perfs/cuts.</li> <li>* Engine TAB may need to be cleaned prior to running media.</li> <li>* Test any post printing processes ie. folding, inserting, cutting.</li> <li>* If guillotine cutting, stack up to 30 sheets at a time.</li> <li>* Low tack adhesive is cleanly repositionable for up to 6 months.</li> <li>* Cards should be applied to clean, dry surfaces for best results.</li> </ul>
2UP, 7mil BestCard Poly Magnet 5mil 2UP 7mil/4mil BestCard/Clear Poly Magnet	Yes	216	Plain	Matte	White	Short Edge Feed	
4UP, 7mil Paper Magnet 4UP, 5mil Polyester Magnet	Yes	350	Plain	Gloss	White	Short Edge Feed	
<b>Impressed Card</b>	<b>Compatible</b>	<b>GSM</b>	<b>MODE/TYPE</b>	<b>IMAGE QUALITY</b>	<b>COLOR</b>	<b>ORIENTATION</b>	<b>NOTES</b>
1UP, 7mil	Yes	216	Plain	Matte	White	Long Edge Feed	<ul style="list-style-type: none"> <li>* Load up to 100 sheets at a time with cards on operator side.</li> <li>* Not recommended to print artwork over perfs/cuts.</li> <li>* Engine TAB may need to be cleaned prior to running media.</li> <li>* Test any post printing processes ie. folding, inserting, cutting.</li> <li>* If guillotine cutting, stack up to 30 sheets at a time.</li> <li>* Polyester card is only printable on one side unless custom is quoted.</li> </ul>
1UP, 2WIDE, 7mil 2UP, 2WIDE, 7mil	Yes	216	Plain	Matte	White	Short Edge Feed	